



T.P 0360

Docket No.: 112439.120

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Dario GRISTINA et al.

Serial No.: 10/051,542

Filed: January 17, 2002

:
:
:
:
: APPLICATIONS BRANCH
:
:

For: SYSTEM FOR MANAGING RESOURCE INFRASTRUCTURE AND RESOURCE CONSUMPTION IN REAL TIME

**RESPONSE TO NOTICE TO FILE
CORRECTED APPLICATION PAPERS**

Honorable Commissioner for Patents
Washington D.C. 20231

Sir:


In response to the Notice to File Corrected Application Papers dated February 19, 2002, submitted herewith are the following documents for filing in the above-referenced application:

1. Copy of the Notice to File Corrected Application Papers
2. Petition for Extension of Time
3. 68 Pages of Substitute Specification
4. 42 Sheets of Substitute Drawings

Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account 08-0219 and please credit any excess fees to such deposit account.

Respectfully submitted,

HALE AND DORR LLP


M. Scott Carey
Registration No. 50,998

300 Park Avenue
New York, NY 10022
212 937 7200
Date: May 20, 2002

20020520 15:00



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 10/051,542 | 01/17/2002 | Dario Gristina | 112439.120 |

28089
HALE AND DORR LLP
300 PARK AVENUE
NEW YORK, NY 10022



CONFIRMATION NO. 9650

FORMALITIES LETTER



OC00000007494090

Date Mailed: 02/19/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).
- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE